



FINSA
solutions in wood

FINANCIERA MADERERA S.A.
(FINSA)
N-550, KM 57
15890 SANTIAGO DE COMPOSTELA
(A CORUÑA)
SPAIN

DECLARATION OF PERFORMANCE N° 08003



15/07/2021

FINFLOOR STYLE

Manufactured at: Finsa
Fibranor
Políg. Ind. de Rábade
27370 RÁBADE (ESPAÑA)

PRODUCT TYPE	INTENDED USE	AVCP*	NOTIFIED BODY AND REFERENCE
LAMINATED FLOORING	Floor covering for indoor applications	3	EPH - 0766

*Assessment and verification of constancy of performance system according to Annex V of regulation (EU) No 305/2011

FINFLOOR STYLE

CLASSIFICATION ACCORDING TO EN 685

Rev: 03/02/2014

CARACTERISTIQUES	SYMBOL	REQUIREMENT	TEST METHOD
Formaldehyde emissions HCHO		$E1 \leq 0.124 \text{ mg/m}^3$ (EN 717-1)	EN 14041 / EN 717-2
PCP Content		Undetectable	EN 14041 / CEN/TR14823
Reaction to fire		$Bfl \leq 1$	EN 14041 / EN 13501-1 / EN ISO 9239-1 / EN ISO 11925-2
Slip resistance coefficient under dry conditions		Class DS ($\geq 0,3$)	EN 14041 / EN 13055
Electrical behaviour		The measurement of the body voltage at 23°C/25% humidity are $\leq 2 \text{ kV}$. Fulfills the criterions for the classification as an Antistatic Floor Covering	EN 14041 / EN 18315
Electrical behaviour / vertical resistance		Antistatic Floor "ASF - Class 2" in accordance with the international standard IEC 61340-4- 1:1995	EN 14041 / EN 18315
Thermal Resistance		Without Underlay: $0,06 \text{ m}^2 \cdot \text{K/W}$ + Finfloor PE Underlay $0,154 \text{ m}^2 \cdot \text{K/W}$ + Finfloor Silent Underlay $0,127 \text{ m}^2 \cdot \text{K/W}$ Suitable for warm-water underfloor heating systems	EN 14041 / EN 12542
Antibacterial efficiency		Reduction of bacterial activity in 24 hours $\geq 99.9\%$ according to tests carried out at the IMSL	ISO 22196
CE Certificate		DoP 08003	EN 14041

The above information is subject to modifications for the benefit of further improvements.

The performance of the reference product are in compliance with the performance declared above
This Declaration of Performance is issued under the sole responsibility of FINANCIERA MADERERA S.A. (FINSA)

Javier Portela
FINSA R&D + Quality Director
Santiago de Compostela 26/10/2018


